

Sono Sweop AB
Box 196
573 22 TRANÅS
SWEDEN**Testing of storage furniture according to
EN 16121:2013+A1:2018**

(3 appendices)

Customer:	Sarpsborg Metall
Test object/ID:	Storage/Kroklist
Test methods:	EN 16121:2013+A1:2018 Non-domestic storage furniture – Requirements for safety, strength, durability and stability, test severity 1
Test environment:	23 ± 2°C and 50 ± 5% relative humidity
Scope:	Complete test
Date of test:	2023-11-10
Test result:	The tested object passed the test
Reservation:	The test results in this report apply solely to the specimen tested
Measurement uncertainty:	Decision rule according to EN ISO IEC 17025:2018 clause 3.7 No account is taken of measurement uncertainty when reporting numerical results

**RISE Research Institutes of Sweden AB
Department Building and Real Estate - Technical Wood Assessment**

Performed by



Robert Almqvist

Examined by



Bengt-Åke Andersson

Appendices

1. Test result (1 page)
2. Test object (1 page)
3. Pictures (1 page)

RISE Research Institutes of Sweden ABPostal address
Box 857
501 15 BORÅS
SWEDENOffice location
Brinellgatan 4
504 62 Borås
SWEDENPhone / Fax / E-mail
+46 10-516 50 00
+46 33-13 55 02
info@ri.seThis report may not be reproduced other than in full, except
with the prior written approval of the issuing laboratory.Accred. No. 1002
Testing
ISO/IEC 17025

Appendix 1

Test result

Abbreviations: N/A = Not applicable
N/T = Not tested

Table 1

1.	General requirements	EN 16121 clause 5.2 – 5.5	Result
1.1	<p>Accessible edges and corners shall be free from burrs and rounded or chamfered. There shall be no open ended tubes.</p> <p>All moveable parts accessible during normal use shall have safety distances in any position during movement of ≤ 8 mm or ≥ 25 mm. This applies to any two elements moving relatively to each other, with the exception of doors, flaps and extension elements. The safety distance also applies to the distance between handles and other parts.</p> <p>Adjustable parts shall be such as to prevent in advertent operation or release.</p> <p>Vertically sliding roll fronts shall not close by themselves from any position higher than 200 mm measured from the closed position.</p> <p>Extension elements shall have effective open stops. They shall resist being pulled out of the carcass once by a horizontal force of 200 N applied to the handle of the loaded extension element.</p> <p>Load bearing parts of the storage unit shall not come loose unintentionally.</p> <p>Safe height for vertically moving units shall be at least 100 mm from the floor.</p> <p>Horizontal lids that are 1 000 mm or less from the floor and weigh 0.25 kg or more, that are hinged, shall be provided with lid-support mechanisms.</p> <p>Any external, vertical glass component which is less than 900 mm above the floor, shall not break or become detached, when impacted once in accordance with EN 14072:2003, Clause 5, with a drop height of 70 mm.</p>		Pass

Table 2

2.	Structural safety tests	EN 16121	Cycles	Loading	Result
2.1	<p>Dislodgement test (complete unit)</p> <p>Note. This test is only applicable for units not supported by the floor</p>	5.7.1.14	1	100 N	Pass

Table 3

3.	Strength & durability tests	EN 16121	Cycles	Loading	Result
3.1	Strength of coat hooks	6.1.2	10	40 N / hook	Pass

Appendix 2

Test object

Test object/ID: Storage/Kroklist

Dimensions

Width: 1200 mm

Height: 140 mm

Mass: 3.3 kg

Components

Rail: Bent sheet metal, 1.5 mm

Hooks: Metal rod, Ø 6 mm

Sampling: The test object was selected by the customer

Date of arrival at
RISE test laboratory: 2023-10-31Observed defects
before testing: No defects

Appendix 3


Pictures

Figure 1



Figure 2

Verifikat

Transaktion 09222115557504680684

Dokument

1226470A Sono Sweop Kroklist

Huvuddokument

4 sidor

*Startades 2023-11-14 10:02:40 CET (+0100) av Robert
Almqvist (RA)*

Färdigställt 2023-11-14 11:14:40 CET (+0100)

Signerare

Robert Almqvist (RA)

RISE Research Institutes of Sweden AB

Org. nr 556464-6874

robert.almqvist@ri.se



Signerade 2023-11-14 10:04:58 CET (+0100)

Bengt-Åke Andersson (BA)

RISE Research Institutes of Sweden

Org. nr 556464-6874

bengt-ake.andersson@ri.se



Signerade 2023-11-14 11:14:40 CET (+0100)

Detta verifikat är utfärdat av Scrive. Information i kursiv stil är säkert verifierad av Scrive. Se de dolda bilagorna för mer information/bevis om detta dokument. Använd en PDF-läsare som t ex Adobe Reader som kan visa dolda bilagor för att se bilagorna. Observera att om dokumentet skrivs ut kan inte integriteten i papperskopian bevisas enligt nedan och att en vanlig papperutskrift saknar innehållet i de dolda bilagorna. Den digitala signaturen (elektroniska förseglingen) säkerställer att integriteten av detta dokument, inklusive de dolda bilagorna, kan bevisas matematiskt och oberoende av Scrive. För er bekvämlighet tillhandahåller Scrive även en tjänst för att kontrollera dokumentets integritet automatiskt på: <https://scrive.com/verify>

